

RayBio® Human Inflammation Antibody G series 3

Detect 40 Inflammatory Factors in One Experiment.

| | A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---------------|--------------|----------|-----------|---------|---------|-----------|------|----------------|---------------|----------------|-----------|----------------|
| 1 | POS 1 | POS 2 | POS 3 | NEG | NEG | EOTAXIN | EOTAXIN-2 | GCSF | GM-CSF | ICAM-1 | IFN- γ | I-309 | IL-1 α |
| 2 | POS 1 | POS 2 | POS 3 | NEG | NEG | EOTAXIN | EOTAXIN-2 | GCSF | GM-CSF | ICAM-1 | IFN- γ | I-309 | IL-1 α |
| 3 | IL-1 β | IL-2 | IL-3 | IL-4 | IL-6 | IL-6sR | IL-7 | IL-8 | IL-10 | IL-11 | IL-12 p40 | IL-12 p70 | IL-13 |
| 4 | IL-1 β | IL-2 | IL-3 | IL-4 | IL-6 | IL-6sR | IL-7 | IL-8 | IL-10 | IL-11 | IL-12 p40 | IL-12 p70 | IL-13 |
| 5 | IL-15 | IL-16 | IL-17 | IP-10 | MCP-1 | MCP-2 | M-CSF | MIG | MIP-1 α | MIP-1 β | MIP-1 δ | RANTES | TGF- β 1 |
| 6 | IL-15 | IL-16 | IL-17 | IP-10 | MCP-1 | MCP-2 | M-CSF | MIG | MIP-1 α | MIP-1 β | MIP-1 δ | RANTES | TGF- β 1 |
| 7 | TNF- α | TNF- β | s TNF RI | s TNF RII | PDGF-BB | TIMP-2 | NEG | NEG | IC 1 | IC 2 | IC 3 | NEG | NEG |
| 8 | TNF- α | TNF- β | s TNF RI | s TNF RII | PDGF-BB | TIMP-2 | NEG | NEG | IC 1 | IC 2 | IC 3 | NEG | NEG |

