

RayBio® Mouse Cytokine Antibody Array 3

Detect 62 cytokines and other proteins in one experiment

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N |
|----|----------------|------------|-------------|-------|--------|----------------|----------------|----------|---------------|----------------|-----------|------------|--------|------------|
| 1 | POS | POS | NEG | NEG | Blank | Axl | BLC | CD30 L | CD30 T | CD40 | CRG-2 | CTACK | CXCL16 | Eotaxin |
| 2 | POS | POS | NEG | NEG | Blank | Axl | BLC | CD30 L | CD30 T | CD40 | CRG-2 | CTACK | CXCL16 | Eotaxin |
| 3 | Eotaxin-2 | Fas Ligand | Fractalkine | GCSF | GM-CSF | IFN γ | IGFBP-3 | IGFBP-5 | IGFBP-6 | IL-1 α | IL-1 beta | IL-2 | IL-3 | IL-3 Rb |
| 4 | Eotaxin-2 | Fas Ligand | Fractalkine | GCSF | GM-CSF | IFN γ | IGFBP-3 | IGFBP-5 | IGFBP-6 | IL-1 α | IL-1 beta | IL-2 | IL-3 | IL-3 Rb |
| 5 | IL-4 | IL-5 | IL-6 | IL-9 | IL-10 | IL-12 p40/p70 | IL-12 p70 | IL-13 | IL-17 | KC | Leptin R | Leptin | LIX | L-Selectin |
| 6 | IL-4 | IL-5 | IL-6 | IL-9 | IL-10 | IL-12 p40/p70 | IL-12 p70 | IL-13 | IL-17 | KC | Leptin R | Leptin | LIX | L-Selectin |
| 7 | Lymphotactin | MCP1 | MCP-5 | M-CSF | MIG | MIP-1 α | MIP-1 γ | MIP-2 | MIP-3 β | MIP-3 α | PF-4 | P-Selectin | RANTES | SCF |
| 8 | Lymphotactin | MCP1 | MCP-5 | M-CSF | MIG | MIP-1 α | MIP-1 γ | MIP-2 | MIP-3 β | MIP-3 α | PF-4 | P-Selectin | RANTES | SCF |
| 9 | SDF-1 α | TARC | TCA-3 | TECK | TIMP-1 | TNF α | sTNF RI | sTNF RII | TPO | VCAM-1 | VEGF | Blank | Blank | POS |
| 10 | SDF-1 α | TARC | TCA-3 | TECK | TIMP-1 | TNF α | sTNF RI | sTNF RII | TPO | VCAM-1 | VEGF | Blank | Blank | POS |

* For use with serum, plasma, condition medium, urine and all other body fluids, cell lysates and certain tissue lysates samples