

1. IDENTIFICATION

Product Identification

Product Name **Human IL-23 R ELISA Kit**
 Catalog Number **ELH-IL23R**

Kit Components

| Component | Size / Description |
|---|---|
| IL-23 R Microplate (Item A) | 96 wells (12 strips x 8 wells) coated with anti-Human IL-23 R. |
| Wash Buffer Concentrate (20X) (Item B) | 25 ml of 20X concentrated solution. |
| Standard Protein (Item C) | 2 vials of Human IL-23 R. 1 vial is enough to run each standard in duplicate. |
| Detection Antibody IL-23 R (Item F) | 2 vials of biotinylated anti-Human IL-23 R. Each vial is enough to assay half the microplate. |
| HRP-Streptavidin Concentrate (Item G) | 200 µl 250X concentrated HRP-conjugated streptavidin. |
| TMB One-Step Substrate Reagent (Item H) | 12 ml of 3,3',5,5'-tetramethylbenzidine (TMB) in buffer solution. |
| Stop Solution (Item I) | 8 ml of 0.2 M sulfuric acid. |
| Assay Diluent A (Item D) | 30 ml of diluent buffer, 0.09% sodium azide as preservative. |
| Assay Diluent B (Item E) | 15 ml of 5X concentrated buffer. |

Usage

This product is furnished for LABORATORY RESEARCH USE ONLY. Not for diagnostic or therapeutic use.

Supplier Identification

Company **RayBiotech, Inc.**
 3607 Parkway Lane, Suite 100
 Norcross, GA 30092
 USA
 Telephone **1-888-494-8555 (Toll Free); 770-729-2992**
 Fax **770-206-2393**
 Website **www.RayBiotech.com**
 Email **info@raybiotech.com**

Emergency Telephone Number

Emergency Phone # **1-888-494-8555**

2. HAZARDS IDENTIFICATION

Hazardous Ingredients

1. Stop Solution contains Sulfuric Acid
2. Assay Diluent A contains Sodium Azide

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Sulfuric Acid (Stop Solution): ACUTE TOXICITY (inhalation)

Sodium Azide (Assay Diluent A): ACUTE TOXICITY (ingestion)

GHS Label Elements

Hazard Pictograms



Signal Word

Warning

Hazard Statements

Sulfuric Acid (Stop Solution): Harmful if inhaled.

Sodium Azide (Assay Diluent A): Harmful if ingested.

Prevention

Use only outdoors or in a well-ventilated area. Avoid breathing vapor.

Response

IF INHALED: Go to fresh air and rest in a position comfortable for breathing.
Call a POISON CENTER or physician you feel unwell.

Storage

Not applicable.

Disposal

Not applicable.

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture

Item A is substance. All other items are mixture.

Other means of identification

Not available

CAS Numbers/other identifiers

| <u>Ingredient Name</u> | <u>%</u> | <u>CAS Number</u> |
|------------------------|----------|-------------------|
| Sulfuric Acid | 1-3 | 7664-93-9 |
| Sodium Azide | <0.1 | 26628-22-8 |

Any percentage shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. FIRST-AID MEASURES

Description of Necessary First Aid Measures

| | |
|--------------|---|
| Eye Contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
| Skin Contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing and clean shoes before reuse. |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Ingestion | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Potential Acute Health Effects

| | |
|--------------|--|
| Eye Contact | No known significant effects or critical hazards. |
| Skin Contact | No known significant effects or critical hazards |
| Inhalation | Sulfuric Acid (Stop Solution): Harmful if inhaled. |
| Ingestion | Sodium Azide (Assay Diluent A): Harmful if ingested. |

Over-Exposure Signs/Symptoms

No specific data.

Notes to Physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific Treatments

No specific treatment

Protection of First-Aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

5. FIRE FIGHTING MEASURES

| | |
|----------------------------|---|
| Extinguishing Media | Use an extinguishing agent suitable for the surrounding fire, such as water spray, carbon dioxide, dry chemical powder or appropriate foam. Prevent contact with skin and eyes. |
| Chemical Hazards from Fire | In a fire or if heated, a pressure increase will occur and the component containers may burst. |

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

| | |
|-----------------------------|--|
| For Non-Emergency Personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For Emergency Responders | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel" above. |
| Environmental Precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Protective Equipment | Wear respirator, chemical safety goggles, rubber boots and rubber gloves. |

Methods and Materials for Containment and Cleaning Up

| | |
|-------------|---|
| Small Spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large Spill | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

7. STORAGE AND HANDLING

Storage

May be stored for up to 6 months at 2° to 8°C from the date of shipment. Opened Microplate Wells or reagents may be stored for up to 1 month at 2° to 8°C. Return unused wells to the pouch containing desiccant pack, reseal along entire edge. Reconstituted standard can be stored at -80°C for up to 1 week. Note: the kit can be used within one year if the whole kit is stored at -20°C. Avoid repeated freeze-thaw cycles.

Handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Keep away from incompatible materials (see Section 10) and food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Permissible Exposure Limits (PELs)

| Substance | CAS No. | Regulatory Limits | | Recommended Limits | |
|---------------|------------|-------------------|---|---|--|
| | | OSHA PEL | Cal/OSHA PEL | NIOSH REL | ACGIH |
| | | mg/m ³ | 8-hour TWA (ST) STEL (C) Ceiling | Up to 10-hour TWA (ST) STEL (C) Ceiling | 8-hour TWA (ST) STEL (C) Ceiling |
| Sulfuric acid | 7664-93-9 | 1 | 0.1 mg/m ³ (ST) 3 mg/m ³ | 1 mg/m ³ | 0.2 mg/m ³ (Thor.) |
| Sodium Azide | 26628-22-8 | - | - | 0.3 mg/m ³ (C; Skin) | 0.29 mg/m ³ (C) |

Appropriate Engineering Controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Protective Equipment

Wear suitable protective clothing, including gloves, safety glasses, dust mask, and a laboratory coat.

Special Precautions

Not for human or drug use. Not for household use.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------------------------|------------------|
| Appearance | Clear, colorless |
| Odor | Odorless |
| Physical State | Liquid |
| pH | N/A |
| Boiling Point | N/A |
| Melting Point | N/A |
| Freezing Point | N/A |
| Vapor Pressure | N/A |
| Vapor Density | N/A |
| Specific Gravity | N/A |
| Evaporation Rate | N/A |
| Solubility in Water | N/A |
| Odor Threshold | N/A |
| Coefficient of Water/Oil Distribution | N/A |

10. STABILITY AND REACTIVITY

| | |
|---------------------|---|
| Chemical Stability | Stable under normal handling procedures. |
| Hazardous Reactions | Under normal conditions of storage and use, hazardous reactions will not occur. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

| Ingredient Name | Result | Species | Dose | Exposure |
|-----------------|---|-------------------------|----------------------------------|-------------|
| Sulfuric Acid | LC50 Inhalation Gas LD50 Oral | Rat Rat | 347 ppm 2140 mg/kg | 1 hour - |
| Sodium Azide | LC50 Inhalation LD50 Oral LD50 Dermal | Rat Rabbit Rabbit | 37 mg/m3 10 mg/kg 20 mg/kg | - |

Irritation/Corrosion

| Ingredient Name | Result | Species | Exposure | Observation |
|-----------------|--|------------------|---|-------------|
| Sulfuric Acid | Eyes - Severe irritant Eyes - Severe irritant | Rabbit Rabbit | 250 Micrograms 0.5 minutes 5 milligrams | - - |
| Sodium Azide | No data available | - | - | - |

Sensitization Not Available

Mutagenicity Not available

Classification

| Ingredient Name | OSHA | IARC | NTP |
|-----------------|------|------|---|
| Sulfuric Acid | + | 1 | Known to be a human carcinogen. |
| Sodium Azide | + | 1 | Not classifiable as a human carcinogen. It is unknown whether chronic or repeated exposure to sodium azide increases the risk of reproductive toxicity or developmental toxicity. |

Reproductive Toxicity Not Available

Specific target organ toxicity (single exposure) Not available

Specific target organ toxicity (repeated exposure) Not available

Aspiration hazard Not available

Likely routes of exposure Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact No known significant effects or critical hazards.

Inhalation Sulfuric Acid (Stop Solution): Harmful if inhaled.

Ingestion Sodium Azide (Assay Diluent A): Harmful if ingested.

Skin Contact No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

Ecotoxicity No data available

Persistence and degradability No data available

Bioaccumulation/accumulation No data available

Mobility in environmental media No data available

Other hazardous effects May be harmful to the environment, particularly aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal should be in accordance with applicable national, state, and local laws and regulations. Local regulations may be more stringent than national or state requirements. Verify local and state regulations before discharging into public sewers or landfills. Do not dump into any body of water. Contact a licensed professional waste disposal service for appropriate methods of disposal.

14. TRANSPORT INFORMATION

DOT

Not dangerous goods.

IATA

Not dangerous goods.

ADR

Not dangerous goods.

15. REGULATORY INFORMATION

United States (TSCA)

All ingredients are on the inventory or exempt from listing.

Canada (DSL / NDSL)

All ingredients are on the inventory or exempt from listing.

SARA 302 Components

Sulfuric Acid (Stop Solution): CAS 7664-93-9

Sodium Azide (Assay Diluent A): CAS 26628-22-8

SARA 313 Components

Sulfuric Acid (Stop Solution): Concentration <5%

Sodium Azide (Assay Diluent A): Concentration <0.1%

SARA 311/312 Hazards

Sulfuric Acid (Stop Solution): Reactive, Acute Health Hazard

Sodium Azide (Assay Diluent A): Acute Health Hazard

California Prop. 65 Components

Sulfuric Acid (Stop Solution): WARNING: This product contains a chemical known to the State of California to cause cancer.

Sodium Azide (Assay Diluent A): This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Disclaimer

The above information was obtained from sources available at the time of revision and believed to be accurate and reliable. The information included is not intended to be all inclusive and should only be used as a guide.

RayBiotech shall not be held liable for any damage resulting from use, handling, or contact with the above product.

Last Revised

May 23, 2017

This product is for research use only.



2018 RayBiotech, Inc.